

**Safety Data Sheet**  
acc. to OSHA HCS

Printing Date 09/06/2017

Revision Number 4

Revision Date 09/06/2017

**1 Identification**

- **Product identifier**
- **Trade name:** WS-8030 B-1/2,B-2 Part A
- **Relevant identified uses of the substance or mixture.** Activator
- **Application of the substance / the mixture** Activator
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Royal Adhesives & Sealants  
800 E. Anaheim Street  
Wilmington. CA 90744  
(310) 830-9904
- **Information department:** Environment protection department.
- **Emergency telephone number:**  
ChemTrec: Day or Night within USA and Canada: 1-800-424-9300.  
Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

**2 Hazard(s) identification**

- **Classification of the substance or mixture**



- Acute Tox. 4      H302 Harmful if swallowed.
- Acute Tox. 4      H332 Harmful if inhaled.
- Skin Irrit. 2      H315 Causes skin irritation.
- Eye Irrit. 2A      H319 Causes serious eye irritation.
- STOT SE 3      H335 May cause respiratory irritation.
- Aquatic Acute 3      H402 Harmful to aquatic life.
- Aquatic Chronic 3      H412 Harmful to aquatic life with long lasting effects.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



- **Signal word** Warning
- **Hazard statements**  
Harmful if swallowed or if inhaled.  
Causes skin irritation.  
Causes serious eye irritation.  
May cause respiratory irritation.  
Harmful to aquatic life.  
Harmful to aquatic life with long lasting effects.

(Contd. on page 2)

# Safety Data Sheet

acc. to OSHA HCS

Printing Date 09/06/2017

Revision Number 4

Revision Date 09/06/2017

Trade name: WS-8030 B-1/2,B-2 Part A

(Contd. of page 1)

- **Precautionary statements**

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves / eye protection / face protection.

Avoid release to the environment.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Specific treatment (see on this label).

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Rinse mouth.

IF ON SKIN: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Classification system:**

- **NFPA ratings (scale 0 - 4)**



Health = 2

Fire = 1

Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**

HEALTH	2
FIRE	1
PHYSICAL HAZARD	0

Health = 2

Fire = 1

Physical Hazard = 0

- **Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

## \* 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**

- **Description:** Mixture

- **Hazardous components:**

1313-13-9	manganese dioxide	25-50%
61788-32-7	Hydrogenated Terphenyl	25-50%
1318-02-1	zeolite [impurity]	2.5-10%
26140-60-3	Terphenyl	≤2.5%
971-15-3	Dipentamethylene Thiuram Hexsulphide	≤2.5%
1310-73-2	sodium hydroxide [impurity]	≤2.5%
557-05-1	zinc distearate, pure	≤2.5%

USA

(Contd. on page 3)

# Safety Data Sheet

## acc. to OSHA HCS

Printing Date 09/06/2017

Revision Number 4

Revision Date 09/06/2017

Trade name: WS-8030 B-1/2,B-2 Part A

(Contd. of page 2)

### 4 First-aid measures

- **Description of first aid measures**
- **After inhalation:**  
Supply fresh air or oxygen; call for doctor.  
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** Do not induce vomiting; immediately call for medical help.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray.  
Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Protective clothing and respiratory protective device.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose of contaminated material as waste in accordance with federal state and local regulations.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

- **PAC-1:**

26140-60-3	Terphenyl	0.45 mg/m <sup>3</sup>
557-05-1	zinc distearate, pure	30 mg/m <sup>3</sup>
67762-90-7	Synthetic Amorphous Silica	120 mg/m <sup>3</sup>
7664-38-2	phosphoric acid	3 mg/m <sup>3</sup>

- **PAC-2:**

26140-60-3	Terphenyl	5 mg/m <sup>3</sup>
557-05-1	zinc distearate, pure	330 mg/m <sup>3</sup>
67762-90-7	Synthetic Amorphous Silica	1,300 mg/m <sup>3</sup>

(Contd. on page 4)

# Safety Data Sheet

## acc. to OSHA HCS

Printing Date 09/06/2017

Revision Number 4

Revision Date 09/06/2017

**Trade name: WS-8030 B-1/2,B-2 Part A**

(Contd. of page 3)

7664-38-2	phosphoric acid	30 mg/m <sup>3</sup>
<b>· PAC-3:</b>		
26140-60-3	Terphenyl	1,400 mg/m <sup>3</sup>
557-05-1	zinc distearate, pure	2,000 mg/m <sup>3</sup>
67762-90-7	Synthetic Amorphous Silica	7,900 mg/m <sup>3</sup>
7664-38-2	phosphoric acid	150 mg/m <sup>3</sup>

### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Open and handle receptacle with care.  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location away from direct heat.
- **Information about storage in one common storage facility:** Store away from oxidizing agents.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.  
At this time, the other constituents have no known exposure limits.

#### 61788-32-7 Hydrogenated Terphenyl

REL	Long-term value: 5 mg/m <sup>3</sup> , 0.5 ppm
TLV	Long-term value: 4.9 mg/m <sup>3</sup> , 0.5 ppm nonirradiated

#### 26140-60-3 Terphenyl

STEL	Short-term value: C 5 mg/m <sup>3</sup>
------	---

#### 1310-73-2 sodium hydroxide [impurity]

PEL	Long-term value: 2 mg/m <sup>3</sup>
REL	Ceiling limit value: 2 mg/m <sup>3</sup>
TLV	Ceiling limit value: 2 mg/m <sup>3</sup>

#### 557-05-1 zinc distearate, pure

PEL	Long-term value: 15* 5** mg/m <sup>3</sup> *total dust **respirable fraction
REL	Long-term value: 10* 5** mg/m <sup>3</sup> *total dust **respirable fraction
TLV	Long-term value: 10 mg/m <sup>3</sup>

- **Additional information:** The lists that were valid during the creation were used as basis.

(Contd. on page 5)

USA

# Safety Data Sheet

acc. to OSHA HCS

Printing Date 09/06/2017

Revision Number 4

Revision Date 09/06/2017

Trade name: WS-8030 B-1/2,B-2 Part A

(Contd. of page 4)

- **Exposure controls**
- **Personal protective equipment (see listings below)**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Wash hands before breaks and at the end of work.
- **Breathing equipment:**  
Use approved respiratory protection equipment when airborne exposure is excessive. Consult the respirator manufacturer to determine the appropriate type of equipment for a given application. Observe respirator use limitations specified by the manufacturer.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- **Material of gloves**  
Nitrile rubber, NBR  
Chloroprene rubber, CR  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**



Tightly sealed goggles

Safety glasses with side shields.

- **Body protection:** Protective work clothing

## 9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Paste
Color:	Black
- **Odor:** Characteristic
- **Odor threshold:** Not determined.
- **pH-value:** Not determined.
- **Change in condition**

Melting point:	Undetermined.
Boiling point:	Undetermined
- **Flash point:** > 99 °C (> 210 °F)
- **Flammability (solid, gaseous):** Not applicable.
- **Ignition temperature:** 373 °C (703 °F)

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing Date 09/06/2017

Revision Number 4

Revision Date 09/06/2017

Trade name: WS-8030 B-1/2,B-2 Part A

(Contd. of page 5)

· <b>Decomposition temperature:</b>	Not determined.
· <b>Auto igniting:</b>	Product is not selfigniting.
· <b>Danger of explosion:</b>	Product does not present an explosion hazard.
· <b>Flammable limits:</b>	
<b>Lower:</b>	Not determined
<b>Upper:</b>	Not determined
· <b>Vapor pressure:</b>	Not determined.
· <b>Specific gravity at 20 °C (68 °F):</b>	1.76 g/cm <sup>3</sup> (14.687 lbs/gal)
· <b>Relative density</b>	Not determined.
· <b>Vapor density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with Water:</b>	Not miscible or difficult to mix.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
· <b>Solvent content:</b>	
<b>Organic solvents:</b>	0.0 %
<b>Solids content:</b>	Not available.
· <b>Other information</b>	Grams VOC/Liter [less water, less exempts] 2.4

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** Reacts with oxidizing agents.
- **Hazardous decomposition products:**  
Carbon monoxide and carbon dioxide  
Hydrogen chloride (HCl)  
Hydrocarbons

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· <b>LD/LC50 values that are relevant for classification:</b>		
<b>1313-13-9 manganese dioxide</b>		
Oral	LD50	40 mg/kg (mouse) =>1490 mg/kg (rat)

(Contd. on page 7)

# Safety Data Sheet

## acc. to OSHA HCS

Printing Date 09/06/2017

Revision Number 4

Revision Date 09/06/2017

Trade name: WS-8030 B-1/2,B-2 Part A

(Contd. of page 6)

**61788-32-7 Hydrogenated Terphenyl**

Oral	LD50	>12500 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rabbit)
Inhalative	LC50/4 h	>4.7 mg/l (rat)

**1310-73-2 sodium hydroxide [impurity]**

Oral	LD50	2000 mg/kg (rat)
------	------	------------------

- **Primary irritant effect:**

- **on the skin:** Irritant to skin and mucous membranes.

- **on the eye:** Irritating effect.

- **Sensitization:** No sensitizing effects known.

- **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Irritant

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

1318-02-1	zeolite [impurity]	3
-----------	--------------------	---

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

## 12 Ecological information

- **Toxicity**

- **Aquatic toxicity:** No further relevant information available.

- **Persistence and degradability** No further relevant information available.

- **Behavior in environmental systems:**

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

- **Ecotoxicological effects:**

- **Remark:** Harmful to fish

- **Additional ecological information:**

- **General notes:** At present there are no ecotoxicological assessments.

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**

- **Recommendation:** Must be specially treated adhering to official regulations.

(Contd. on page 8)

# Safety Data Sheet

acc. to OSHA HCS

Printing Date 09/06/2017

Revision Number 4

Revision Date 09/06/2017

Trade name: WS-8030 B-1/2,B-2 Part A

(Contd. of page 7)

- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

## \* 14 Transport information

- |  |  |
|--|--|
| · <b>UN-Number</b>   |  |
| · <b>DOT, ADN, IMDG, IATA</b>  | not regulated  |
| · <b>UN proper shipping name</b>   |  |
| · <b>DOT, ADN, IMDG, IATA</b>  | not regulated  |
| · <b>Transport hazard class(es)</b>  |  |
| · <b>DOT, ADN, IMDG, IATA</b>  |  |
| · <b>Class</b>   | not regulated  |
| · <b>Packing group</b>   |  |
| · <b>DOT, IMDG, IATA</b>   | not regulated  |
| · <b>Environmental hazards:</b>  | Not applicable.                                      |
| · <b>Special precautions for user</b>  | Not applicable.                                      |
| · <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> | Not applicable.                                      |
| · <b>Transport/Additional information:</b>                                       | Not dangerous according to the above specifications. |
| · <b>UN "Model Regulation":</b>  | not regulated  |

## \* 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

1313-13-9 manganese dioxide

557-05-1 zinc distearate, pure

7664-38-2 phosphoric acid

· **TSCA (Toxic Substances Control Act):**

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

(Contd. on page 9)

# Safety Data Sheet

## acc. to OSHA HCS

Printing Date 09/06/2017

Revision Number 4

Revision Date 09/06/2017

Trade name: WS-8030 B-1/2,B-2 Part A

(Contd. of page 8)

· **(DSL) Canada Domestic Substance List**

All components of this product are on the DSL(Canada Domestic Substance list) or are exempt from DSL requirements.

· **New Jersey Right-to-Know List:**

26140-60-3	Terphenyl	
1310-73-2	sodium hydroxide [impurity]	
557-05-1	zinc distearate, pure	
7664-38-2	phosphoric acid	

· **New Jersey Special Hazardous Substance List:**

1310-73-2	sodium hydroxide [impurity]	CO, RI
7664-38-2	phosphoric acid	CO

· **Pennsylvania Right-to-Know List:**

26140-60-3	Terphenyl	
1310-73-2	sodium hydroxide [impurity]	
557-05-1	zinc distearate, pure	
7664-38-2	phosphoric acid	

· **Pennsylvania Special Hazardous Substance List:**

1310-73-2	sodium hydroxide [impurity]	E
557-05-1	zinc distearate, pure	E
7664-38-2	phosphoric acid	E

· **Carcinogenicity categories**

· **EPA (Environmental Protection Agency)**

1313-13-9	manganese dioxide	D
557-05-1	zinc distearate, pure	D, I, II

· **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients listed.

· **MAK (German Maximum Workplace Concentration)**

None of the ingredients is listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **National regulations:**

· **Water hazard class:** Water hazard class 2 (Self-assessment): hazardous for water.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

Although the information and recommendations set forth in this SDS are presented in good faith and are believed to be correct as of the date of this SDS, Royal Adhesives & Sealants makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will Royal Adhesives & Sealants or any affiliate thereof be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the SDS.

· **Department issuing SDS:** Environment protection department.

· **Creation Date:** 09/06/2017

· **Date of preparation / last revision** 09/06/2017 / 3

(Contd. on page 10)

**Safety Data Sheet**  
**acc. to OSHA HCS**

Printing Date 09/06/2017

Revision Number 4

Revision Date 09/06/2017

**Trade name: WS-8030 B-1/2,B-2 Part A**

(Contd. of page 9)

**· Abbreviations and acronyms:**

*IMDG: International Maritime Code for Dangerous Goods*  
*DOT: US Department of Transportation*  
*IATA: International Air Transport Association*  
*ACGIH: American Conference of Governmental Industrial Hygienists*  
*EINECS: European Inventory of Existing Commercial Chemical Substances*  
*ELINCS: European List of Notified Chemical Substances*  
*CAS: Chemical Abstracts Service (division of the American Chemical Society)*  
*NFPA: National Fire Protection Association (USA)*  
*HMIS: Hazardous Materials Identification System (USA)*  
*LC50: Lethal concentration, 50 percent*  
*LD50: Lethal dose, 50 percent*  
*PBT: Persistent, Bioaccumulative and Toxic*  
*vPvB: very Persistent and very Bioaccumulative*  
*NIOSH: National Institute for Occupational Safety*  
*OSHA: Occupational Safety & Health*  
*TLV: Threshold Limit Value*  
*PEL: Permissible Exposure Limit*  
*REL: Recommended Exposure Limit*  
*Acute Tox. 4: Acute toxicity – Category 4*  
*Skin Irrit. 2: Skin corrosion/irritation – Category 2*  
*Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A*  
*STOT SE 3: Specific target organ toxicity (single exposure) – Category 3*  
*Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard – Category 3*  
*Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3*

USA

**Safety Data Sheet**  
acc. to OSHA HCS

Printing Date 09/12/2017

Revision Number 5

Revision Date 09/12/2017

**1 Identification**

- **Product identifier**
- **Trade name:** *WS-8030 B-1/2, B-2 Part B*
- **Relevant identified uses of the substance or mixture.** *Sealant*
- **Application of the substance / the mixture** *Sealant*
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
*Royal Adhesives & Sealants  
800 E. Anaheim Street  
Wilmington. CA 90744  
(310) 830-9904*
- **Information department:** *Environment protection department.*
- **Emergency telephone number:**  
*ChemTrec: Day or Night within USA and Canada: 1-800-424-9300.  
Outside USA and Canada: +1 703-527-3887 (collect calls accepted)*

**2 Hazard(s) identification**

- **Classification of the substance or mixture**  
*Aquatic Acute 3 H402 Harmful to aquatic life.  
Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.*
  - **Label elements**
  - **GHS label elements** *The product is classified and labeled according to the Globally Harmonized System (GHS).*
  - **Hazard pictograms** *Void*
  - **Signal word** *Void*
  - **Hazard statements**  
*Harmful to aquatic life.  
Harmful to aquatic life with long lasting effects.*
  - **Precautionary statements**  
*Avoid release to the environment.  
Dispose of contents/container in accordance with local/regional/national/international regulations.*
  - **Classification system:**
  - **NFPA ratings (scale 0 - 4)**
- |   |   |                |
|---|---|----------------|
| 1 | 0 | Health = 1     |
| 1 |   | Fire = 1       |
|   |   | Reactivity = 0 |
- **HMIS-ratings (scale 0 - 4)**
- |                 |   |                     |
|-----------------|---|---------------------|
| HEALTH          | 1 | Health = 1          |
| FIRE            | 1 | Fire = 1            |
| PHYSICAL HAZARD | 0 | Physical Hazard = 0 |
- **Other hazards**
  - **Results of PBT and vPvB assessment**
  - **PBT:** *Not applicable.*

(Contd. on page 2)

# Safety Data Sheet

## acc. to OSHA HCS

Printing Date 09/12/2017

Revision Number 5

Revision Date 09/12/2017

Trade name: WS-8030 B-1/2, B-2 Part B

(Contd. of page 1)

· **vPvB:** Not applicable.

### 3 Composition/information on ingredients

· **Chemical characterization:** Mixtures· **Description:** Mixture· **Hazardous components:**

68611-50-7	Polysulphide Polymer	25-50%
13463-67-7	titanium dioxide	2.5-10%
	Zinc Compounds	≤2.5%
108-95-2	phenol	≤0.05%
95-48-7	o-cresol	≤0.03%

### 4 First-aid measures

· **Description of first aid measures**· **After inhalation:**

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.· **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:** Seek medical treatment.· **Information for doctor:**· **Most important symptoms and effects, both acute and delayed** No further relevant information available.· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

### 5 Fire-fighting measures

· **Extinguishing media**· **Suitable extinguishing agents:**CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray.

Use fire fighting measures that suit the environment.

· **Special hazards arising from the substance or mixture** No further relevant information available.· **Advice for firefighters**· **Protective equipment:** Protective clothing and respiratory protective device.

### 6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

· **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.· **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste in accordance with federal state and local regulations.

Ensure adequate ventilation.

(Contd. on page 3)

# Safety Data Sheet

## acc. to OSHA HCS

Printing Date 09/12/2017

Revision Number 5

Revision Date 09/12/2017

**Trade name: WS-8030 B-1/2, B-2 Part B**

(Contd. of page 2)

- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

**· PAC-1:**

67762-90-7	Synthetic Amorphous Silica	120 mg/m <sup>3</sup>
108-95-2	phenol	15 ppm
50-00-0	formaldehyde	0.90 ppm

**· PAC-2:**

67762-90-7	Synthetic Amorphous Silica	1,300 mg/m <sup>3</sup>
108-95-2	phenol	23 ppm
50-00-0	formaldehyde	14 ppm

**· PAC-3:**

67762-90-7	Synthetic Amorphous Silica	7,900 mg/m <sup>3</sup>
108-95-2	phenol	200 ppm
50-00-0	formaldehyde	56 ppm

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location away from direct heat.
- **Information about storage in one common storage facility:** Store away from oxidizing agents.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.  
At this time, the other constituents have no known exposure limits.

**13463-67-7 titanium dioxide**

PEL	Long-term value: 15* mg/m <sup>3</sup> *total dust
REL	See Pocket Guide App. A
TLV	Long-term value: 10 mg/m <sup>3</sup> withdrawn from NIC

(Contd. on page 4)

# Safety Data Sheet

## acc. to OSHA HCS

Printing Date 09/12/2017

Revision Number 5

Revision Date 09/12/2017

**Trade name: WS-8030 B-1/2, B-2 Part B**

(Contd. of page 3)

**108-95-2 phenol**

PEL	Long-term value: 19 mg/m <sup>3</sup> , 5 ppm Skin
REL	Long-term value: 19 mg/m <sup>3</sup> , 5 ppm Ceiling limit value: 60* mg/m <sup>3</sup> , 15.6* ppm *15-min; Skin
TLV	Long-term value: 19 mg/m <sup>3</sup> , 5 ppm Skin; BEI

**95-48-7 o-cresol**

PEL	Long-term value: 22 mg/m <sup>3</sup> , 5 ppm Skin
REL	Long-term value: 10 mg/m <sup>3</sup> , 2.3 ppm
TLV	Long-term value: 20* mg/m <sup>3</sup> Skin; *as inhalable fraction and vapor

**· Ingredients with biological limit values:**
**108-95-2 phenol**

BEI	250 mg/g creatinine Medium: urine Time: end of shift Parameter: Phenol with hydrolysis (background, nonspecific)
-----	---

· **Additional information:** The lists that were valid during the creation were used as basis.

- **Exposure controls**
- **Personal protective equipment (see listings below)**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Wash hands before breaks and at the end of work.
- **Breathing equipment:** Not necessary if room is well-ventilated.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- **Material of gloves**  
Nitrile rubber, NBR  
Chloroprene rubber, CR  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Safety glasses with side shields.
- **Body protection:** Protective work clothing

USA

(Contd. on page 5)

# Safety Data Sheet

## acc. to OSHA HCS

Printing Date 09/12/2017

Revision Number 5

Revision Date 09/12/2017

Trade name: WS-8030 B-1/2, B-2 Part B

(Contd. of page 4)

### 9 Physical and chemical properties

· <b>Information on basic physical and chemical properties</b>	
· <b>General Information</b>	
· <b>Appearance:</b>	
<b>Form:</b>	Paste
<b>Color:</b>	Whitish
· <b>Odor:</b>	Characteristic
· <b>Odor threshold:</b>	Not determined.
· <b>pH-value:</b>	Not determined.
· <b>Change in condition</b>	
<b>Melting point:</b>	Undetermined.
<b>Boiling point:</b>	Undetermined
· <b>Flash point:</b>	> 100 °C (> 212 °F)
· <b>Flammability (solid, gaseous):</b>	Not applicable.
· <b>Ignition temperature:</b>	
<b>Decomposition temperature:</b>	Not determined.
· <b>Auto igniting:</b>	Product is not selfigniting.
· <b>Danger of explosion:</b>	Product does not present an explosion hazard.
· <b>Flammable limits:</b>	
<b>Lower:</b>	Not determined
<b>Upper:</b>	Not determined
· <b>Vapor pressure:</b>	Not determined.
· <b>Specific gravity at 20 °C (68 °F):</b>	1.2 g/cm <sup>3</sup> (10.014 lbs/gal)
· <b>Relative density</b>	Not determined.
· <b>Vapor density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with</b>	
<b>Water:</b>	Not miscible or difficult to mix.
· <b>Partition coefficient (n-octanol/water):</b> Not determined.	
· <b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
· <b>Solvent content:</b>	
<b>Solids content:</b>	Not available.
· <b>Other information</b>	Grams VOC/Liter [less water. less exempts] 12.35

### 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No further information is available.
- **Conditions to avoid** Avoid high temperatures. Avoid freezing.
- **Incompatible materials:** Reacts with strong oxidizing agents.

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing Date 09/12/2017

Revision Number 5

Revision Date 09/12/2017

**Trade name: WS-8030 B-1/2, B-2 Part B**

(Contd. of page 5)

- **Hazardous decomposition products:**  
Carbon monoxide and carbon dioxide  
Sulfur oxides (SO<sub>x</sub>)  
Trace amounts of the following may be formed:  
Hydrogen sulfide  
Phenol  
Formaldehyde

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** May irritate the skin.
- **on the eye:** May irritate the eye.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

13463-67-7	titanium dioxide	2B
108-95-2	phenol	3
50-00-0	formaldehyde	1

- **NTP (National Toxicology Program)**

50-00-0	formaldehyde	K
---------	--------------	---

- **OSHA-Ca (Occupational Safety & Health Administration)**

50-00-0	formaldehyde	
---------	--------------	--

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Harmful to fish
- **Additional ecological information:**
- **General notes:** At present there are no ecotoxicological assessments.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** Must be specially treated adhering to official regulations.

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing Date 09/12/2017

Revision Number 5

Revision Date 09/12/2017

**Trade name: WS-8030 B-1/2, B-2 Part B**

(Contd. of page 6)

- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

## \* 14 Transport information

- |  |  |
|--|--|
| · <b>UN-Number</b>   |  |
| · <b>DOT, ADN, IMDG, IATA</b>  | not regulated  |
| · <b>UN proper shipping name</b>   |  |
| · <b>DOT, ADN, IMDG, IATA</b>  | not regulated  |
| · <b>Transport hazard class(es)</b>  |  |
| · <b>DOT, ADN, IMDG, IATA</b>  |  |
| · <b>Class</b>   | not regulated  |
| · <b>Packing group</b>   |  |
| · <b>DOT, IMDG, IATA</b>   | not regulated  |
| · <b>Environmental hazards:</b>  | Not applicable.                                      |
| · <b>Special precautions for user</b>  | Not applicable.                                      |
| · <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> | Not applicable.                                      |
| · <b>Transport/Additional information:</b>                                       | Not dangerous according to the above specifications. |
| · <b>UN "Model Regulation":</b>  | not regulated  |

## \* 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

· **Section 355 (extremely hazardous substances):**

108-95-2	phenol
95-48-7	o-cresol
50-00-0	formaldehyde

· **Section 313 (Specific toxic chemical listings):**

	Zinc Compounds
108-95-2	phenol
95-48-7	o-cresol
50-00-0	formaldehyde

· **TSCA (Toxic Substances Control Act):**

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.

· **Proposition 65**

· **Chemicals known to cause cancer:**

50-00-0	formaldehyde
---------	--------------

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

(Contd. on page 8)

# Safety Data Sheet

acc. to OSHA HCS

Printing Date 09/12/2017

Revision Number 5

Revision Date 09/12/2017

**Trade name: WS-8030 B-1/2, B-2 Part B**

(Contd. of page 7)

**· Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

**· Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

**· (DSL) Canada Domestic Substance List**

All components of this product are on the DSL(Canada Domestic Substance list) or are exempt from DSL requirements.

**· New Jersey Right-to-Know List:**

68611-50-7 Polysulphide Polymer

13463-67-7 titanium dioxide

108-95-2 phenol

95-48-7 o-cresol

50-00-0 formaldehyde

**· New Jersey Special Hazardous Substance List:**

108-95-2 phenol

MU, F2

95-48-7 o-cresol

CA, F2

50-00-0 formaldehyde

CA, CO, MU, F4

**· Pennsylvania Right-to-Know List:**

68611-50-7 Polysulphide Polymer

13463-67-7 titanium dioxide

108-95-2 phenol

95-48-7 o-cresol

50-00-0 formaldehyde

**· Pennsylvania Special Hazardous Substance List:**

108-95-2 phenol

E

95-48-7 o-cresol

E

50-00-0 formaldehyde

ES

**· Cancerogenity categories**
**· EPA (Environmental Protection Agency)**

108-95-2 phenol

D, I

95-48-7 o-cresol

C

50-00-0 formaldehyde

B1

**· TLV (Threshold Limit Value established by ACGIH)**

13463-67-7 titanium dioxide

A4

108-95-2 phenol

A4

50-00-0 formaldehyde

A2

**· MAK (German Maximum Workplace Concentration)**

13463-67-7 titanium dioxide

3A

108-95-2 phenol

3B

95-48-7 o-cresol

3A

50-00-0 formaldehyde

4

**· NIOSH-Ca (National Institute for Occupational Safety and Health)**

13463-67-7 titanium dioxide

(Contd. on page 9)

# Safety Data Sheet

## acc. to OSHA HCS

Printing Date 09/12/2017

Revision Number 5

Revision Date 09/12/2017

**Trade name: WS-8030 B-1/2, B-2 Part B**

(Contd. of page 8)

50-00-0 formaldehyde

- **National regulations:**
- **Water hazard class:** Water hazard class 3 (Self-assessment): extremely hazardous for water.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### \* 16 Other information

Although the information and recommendations set forth in this SDS are presented in good faith and are believed to be correct as of the date of this SDS, Royal Adhesives & Sealants makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will Royal Adhesives & Sealants or any affiliate thereof be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the SDS.

- **Department issuing SDS:** Environment protection department.
- **Creation Date:** 09/12/2017
- **Date of preparation / last revision** 09/12/2017 / 4
- **Abbreviations and acronyms:**
  - IMDG: International Maritime Code for Dangerous Goods
  - DOT: US Department of Transportation
  - IATA: International Air Transport Association
  - ACGIH: American Conference of Governmental Industrial Hygienists
  - EINECS: European Inventory of Existing Commercial Chemical Substances
  - ELINCS: European List of Notified Chemical Substances
  - CAS: Chemical Abstracts Service (division of the American Chemical Society)
  - NFPA: National Fire Protection Association (USA)
  - HMIS: Hazardous Materials Identification System (USA)
  - PBT: Persistent, Bioaccumulative and Toxic
  - vPvB: very Persistent and very Bioaccumulative
  - NIOSH: National Institute for Occupational Safety
  - OSHA: Occupational Safety & Health
  - TLV: Threshold Limit Value
  - PEL: Permissible Exposure Limit
  - REL: Recommended Exposure Limit
  - BEI: Biological Exposure Limit
  - Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard – Category 3
  - Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

USA